

NORMAFIX® Reinforced Pipe Clamp



Reinforced Pipe Clamp enables pipes to be attached to walls quickly and easily


- ✓ Full range 17–1,250 mm pipe diameter
- ✓ Captive side screws remain in place during clamp and pipe installation
- ✓ Dual terminal nut for both M8 and M10 screw

PIPE SUPPORT SYSTEMS

Applications					Material				
The NORMAFIX® Reinforced Pipe Clamp fixes pipes of different diameters to building structures such as walls and ceilings. The pipe clamp consists of two halves, where one half has a dual terminal nut suitable for M8 and M10 screws, for wall/ceiling mounting. The other half secures the pipe in place.					Group		W1 (galvanized), W4 (AISI 304), W5 (AISI 316)		
					Temperature		-40 °C to +110 °C		
					Maximum Load recommended		80–200 kg (785 – 2,500 N)		

Description	Measure				Material Quality	Loading Capacity (vertical connection)		Loading Capacity (lateral connection)	Article Number	Packaging Quantity (pcs)
	ø (D) (mm)	Clamping Range (mm)	Band B × e (mm)	Screw M × l (mm)		System Failure (min)	Recommended Load (max)	System Failure (min)		
W1										
Pipe Clamp M8+M10/18 W1	18	17-20	20×2	M6×20	W1	5,500Nm	2,500N	1,500N	0893 7111 018	50
Pipe Clamp M8+M10/22 W1	22	20-25	20×2			5,500Nm	2,500N	1,500N	0893 7111 022	50
Pipe Clamp M8+M10/28 W1	28	26-32	20×2			5,500Nm	2,500N	1,500N	0893 7111 028	50
Pipe Clamp M8+M10/35 W1	35	33-38	20×2			5,500Nm	2,500N	1,500N	0893 7111 035	50
Pipe Clamp M8+M10/40 W1	40	38-43	20×2			5,500Nm	2,500N	900N	0893 7111 040	50
Pipe Clamp M8+M10/48 W1	48	48-53	20×2			5,500Nm	2,500N	900N	0893 7111 048	50
Pipe Clamp M8+M10/54 W1	54	52-57	20×2			5,500Nm	2,500N	900N	0893 7111 054	50
Pipe Clamp M8+M10/60 W1	60	60-63	20×2			5,500Nm	2,500N	900N	0893 7111 060	50
Pipe Clamp M8+M10/70 W1	70	68-74	20×2			5,500Nm	2,500N	900N	0893 7111 070	50
Pipe Clamp M8+M10/75 W1	75	74-80	20×2			5,500Nm	2,500N	900N	0893 7111 075	50
Pipe Clamp M8+M10/84 W1	84	81-84	20×2			5,500Nm	2,500N	900N	0893 7111 084	25
Pipe Clamp M8+M10/90 W1	90	87-93	20×2			5,500Nm	2,500N	900N	0893 7111 090	25
Pipe Clamp M8+M10/100 W1	100	96-100	20×2	M6×25	W1	5,500Nm	2,500N	900N	0893 7111 100	25
Pipe Clamp M8+M10/110 W1	110	107-112	20×2			5,500Nm	2,500N	900N	0893 7111 110	25
Pipe Clamp M8+M10/115 W1	115	109-115	20×2			5,500Nm	2,500N	700N	0893 7111 115	25
Pipe Clamp M8+M10/125 W1	125	125-131	20×2			5,500Nm	2,500N	700N	0893 7111 125	25
Pipe Clamp M8+M10/140 W1	140	138-144	20×2			5,500Nm	2,500N	700N	0893 7111 140	25
Pipe Clamp M8+M10/150 W1	150	149-160	20×2			5,500Nm	2,500N	700N	0893 7111 150	25
Pipe Clamp M8+M10/160 W1	160	158-165	20×2			5,500Nm	2,500N	700N	0893 7111 160	25
Pipe Clamp M8+M10/180 W1	180	179-185	20×2			5,500Nm	2,500N	700N	0893 7111 180	25
Pipe Clamp M8+M10/200 W1	200	199-206	28×2			5,500Nm	2,500N	700N	0893 7111 200	25
Pipe Clamp M8+M10/220 W1	220	215-220	28×2			5,500Nm	2,500N	700N	0893 7111 220	25
Pipe Clamp M8+M10/225 W1	225	218-230	28×2			5,500Nm	2,500N	700N	0893 7111 225	25
Pipe Clamp M8+M10/250 W1	250	248-255	28×2			5,500Nm	2,500N		0893 7111 250	25
Pipe Clamp M8+M10/280 W1	280	279-284	28×2	5,500Nm	2,500N		0893 7111 280	25		
Pipe Clamp M8+M10/300 W1	300	300-311	28×2	5,500Nm	2,500N		0893 7111 300	25		
Pipe Clamp M8+M10/315 W1	315	314-319	28×2	5,500Nm	2,500N		0893 7111 315	25		
Pipe Clamp M8+M10/350 W1	350	348-355	28×2	5,500Nm	2,500N		0893 7111 350	25		
Pipe Clamp M8+M10/400 W1	400	398-410	28×2	5,500Nm	2,500N		0893 7111 400	25		
Pipe Clamp M8+M10/450 W1	450	447-458	28×2	5,500Nm	2,500N		0893 7111 450	25		
Pipe Clamp M8+M10/500 W1	500	499-506	28×2	5,500Nm	2,500N		0893 7111 500	25		
Pipe Clamp M8+M10/560 W1	560	559-568	28×2.5	M6×30	W1	5,500Nm	2,500N		0893 7111 560	25
Pipe Clamp M8+M10/600 W1	600	599-608	28×2.5			5,500Nm	2,500N		0893 7111 600	25
Pipe Clamp M8+M10/630 W1	630	629-636	28×2.5			5,500Nm	2,500N		0893 7111 630	25
Pipe Clamp M8+M10/650 W1	650	649-656	28×2.5			5,500Nm	2,500N		0893 7111 650	25
Pipe Clamp M8+M10/700 W1	700	699-706	28×2.5			5,500Nm	2,500N		0893 7111 700	25
Pipe Clamp M8+M10/800 W1	800	799-806	28×2.5			5,500Nm	2,500N		0893 7111 800	25
Pipe Clamp M8+M10/900 W1	900	899-906	28×2.5			5,500Nm	2,500N		0893 7111 900	25
Pipe Clamp M8+M10/1,000 W1	1,000	999-1,006	28×2.5			5,500Nm	2,500N		0893 7111 901	25
Pipe Clamp M8+M10/1,100 W1	1,100	1,099-1,106	28×2.5			5,500Nm	2,500N		0893 7111 902	25
Pipe Clamp M8+M10/1,200 W1	1,200	1,199-1,206	28×2.5			5,500Nm	2,500N		0893 7111 903	25
Pipe Clamp M8+M10/1,250 W1	1,250	1,249-1,256	28×2.5			5,500Nm	2,500N		0893 7111 904	25

NORMAFIX® Reinforced Pipe Clamp



W4												
Pipe Clamp M8+M10/18 W4	18	16-20	20×2	M6×20	W4	5,500Nm	2,500N	1,500N	0893 7114 018	50		
Pipe Clamp M8+M10/22 W4	22	20-25	20×2			5,500Nm	2,500N	1,500N	0893 7114 022	50		
Pipe Clamp M8+M10/28 W4	28	26-31	20×2			5,500Nm	2,500N	1,500N	0893 7114 028	50		
Pipe Clamp M8+M10/35 W4	35	31-36	20×2			5,500Nm	2,500N	1,500N	0893 7114 035	50		
Pipe Clamp M8+M10/40 W4	40	38-44	20×2			5,500Nm	2,500N	900N	0893 7114 040	50		
Pipe Clamp M8+M10/48 W4	48	45-51	20×2			5,500Nm	2,500N	900N	0893 7114 048	50		
Pipe Clamp M8+M10/54 W4	54	52-57	20×2			5,500Nm	2,500N	900N	0893 7114 054	50		
Pipe Clamp M8+M10/60 W4	60	57-63	20×2			5,500Nm	2,500N	900N	0893 7114 060	50		
Pipe Clamp M8+M10/70 W4	70	69-73	20×2			5,500Nm	2,500N	900N	0893 7114 070	50		
Pipe Clamp M8+M10/75 W4	75	73-77	20×2			5,500Nm	2,500N	900N	0893 7114 075	50		
Pipe Clamp M8+M10/84 W4	84	83-86	20×2			5,500Nm	2,500N	900N	0893 7114 084	25		
Pipe Clamp M8+M10/90 W4	90	87-94	20×2			5,500Nm	2,500N	900N	0893 7114 090	25		
Pipe Clamp M8+M10/104 W4	104	103-110	20×2	5,500Nm	2,500N	900N	0893 7114 104	25				
Pipe Clamp M8+M10/110 W4	110	107-114	20×2	M6×25	W4	5,500Nm	2,500N	900N	0893 7114 110	25		
Pipe Clamp M8+M10/115 W4	115	110-118	20×2			5,500Nm	2,500N	700N	0893 7114 115	25		
Pipe Clamp M8+M10/125 W4	125	123-131	20×2			5,500Nm	2,500N	700N	0893 7114 125	25		
Pipe Clamp M8+M10/133 W4	133	131-135	20×2			5,500Nm	2,500N	700N	0893 7114 133	25		
Pipe Clamp M8+M10/140 W4	140	136-145	20×2			5,500Nm	2,500N	700N	0893 7114 140	25		
Pipe Clamp M8+M10/150 W4	150	147-155	20×2			5,500Nm	2,500N	700N	0893 7114 150	25		
Pipe Clamp M8+M10/160 W4	160	158-164	20×2			5,500Nm	2,500N	700N	0893 7114 160	25		
Pipe Clamp M8+M10/180 W4	180	178-184	20×2			5,500Nm	2,500N	700N	0893 7114 180	25		
Pipe Clamp M8+M10/204 W4	204	200-206	28×2			5,500Nm	2,500N	700N	0893 7114 204	25		
Pipe Clamp M8+M10/220 W4	220	216-226	28×2			M6×30	W4	5,500Nm	2,500N	700N	0893 7114 220	25
Pipe Clamp M8+M10/225 W4	225	223-227	28×2					5,500Nm	2,500N	700N	0893 7114 225	25
Pipe Clamp M8+M10/250 W4	250	249-256	28×2					5,500Nm	2,500N	700N	0893 7114 250	25
Pipe Clamp M8+M10/280 W4	280	279-285	28×2	5,500Nm	2,500N				0893 7114 280	25		
Pipe Clamp M8+M10/300 W4	300	300-307	28×2	5,500Nm	2,500N				0893 7114 300	25		
Pipe Clamp M8+M10/315 W4	315	314-321	28×2	5,500Nm	2,500N				0893 7114 315	25		
Pipe Clamp M8+M10/350 W4	350	350-359	28×2	5,500Nm	2,500N				0893 7114 350	25		
Pipe Clamp M8+M10/400 W4	400	398-408	28×2	5,500Nm	2,500N				0893 7114 400	25		
Pipe Clamp M8+M10/500 W4	500	499-505	28×2	5,500Nm	2,500N		0893 7114 500	25				
W5												
Pipe Clamp M8+M10/18 W5	18	16-20	20×2	M6×20	W5	5,500Nm	2,500N	1,500N	0893 7115 018	50		
Pipe Clamp M8+M10/22 W5	22	20-25	20×2			5,500Nm	2,500N	1,500N	0893 7115 022	50		
Pipe Clamp M8+M10/28 W5	28	26-31	20×2			5,500Nm	2,500N	1,500N	0893 7115 028	50		
Pipe Clamp M8+M10/35 W5	35	31-36	20×2			5,500Nm	2,500N	1,500N	0893 7115 035	50		
Pipe Clamp M8+M10/40 W5	40	38-44	20×2			5,500Nm	2,500N	900N	0893 7115 040	50		
Pipe Clamp M8+M10/48 W5	48	45-51	20×2			5,500Nm	2,500N	900N	0893 7115 048	50		
Pipe Clamp M8+M10/54 W5	54	52-57	20×2			5,500Nm	2,500N	900N	0893 7115 054	50		
Pipe Clamp M8+M10/60 W5	60	57-63	20×2			5,500Nm	2,500N	900N	0893 7115 060	50		
Pipe Clamp M8+M10/70 W5	70	69-73	20×2			5,500Nm	2,500N	900N	0893 7115 070	50		

PIPE SUPPORT SYSTEMS

W5										
Pipe Clamp M8+M10/75 W5	75	73-77	20×2	M6×20	W5	5,500Nm	2,500N	900N	0893 7115 075	50
Pipe Clamp M8+M10/84 W5	84	83-86	20×2			5,500Nm	2,500N	900N	0893 7115 084	25
Pipe Clamp M8+M10/90 W5	90	87-94	20×2			5,500Nm	2,500N	900N	0893 7115 090	25
Pipe Clamp M8+M10/100 W5	100	97-104	20×2			5,500Nm	2,500N	900N	0893 7115 100	25
Pipe Clamp M8+M10/110 W5	110	104-114	20×2	M6×25	W5	5,500Nm	2,500N	900N	0893 7115 110	25
Pipe Clamp M8+M10/115 W5	115	110-118	20×2			5,500Nm	2,500N	700N	0893 7115 115	25
Pipe Clamp M8+M10/125 W5	125	123-131	20×2			5,500Nm	2,500N	700N	0893 7115 125	25
Pipe Clamp M8+M10/133 W5	133	131-135	20×2			5,500Nm	2,500N	700N	0893 7115 133	25
Pipe Clamp M8+M10/140 W5	140	136-145	20×2			5,500Nm	2,500N	700N	0893 7115 140	25
Pipe Clamp M8+M10/150 W5	150	147-155	20×2			5,500Nm	2,500N	700N	0893 7115 150	25
Pipe Clamp M8+M10/160 W5	160	158-164	20×2			5,500Nm	2,500N	700N	0893 7115 160	25
Pipe Clamp M8+M10/180 W5	180	178-184	20×2			5,500Nm	2,500N	700N	0893 7115 180	25
Pipe Clamp M8+M10/204 W5	204	200-206	28×2	M6×30	W5	5,500Nm	2,500N	700N	0893 7115 204	25
Pipe Clamp M8+M10/220 W5	220	216-226	28×2			5,500Nm	2,500N	700N	0893 7115 220	25
Pipe Clamp M8+M10/225 W5	225	223-227	28×2			5,500Nm	2,500N	700N	0893 7115 225	25
Pipe Clamp M8+M10/250 W5	250	249-256	28×2			5,500Nm	2,500N	700N	0893 7115 250	25
Pipe Clamp M8+M10/280 W5	280	279-285	28×2			5,500Nm	2,500N		0893 7115 280	25
Pipe Clamp M8+M10/300 W5	300	300-307	28×2			5,500Nm	2,500N		0893 7115 300	25
Pipe Clamp M8+M10/315 W5	315	314-321	28×2			5,500Nm	2,500N		0893 7115 315	25
Pipe Clamp M8+M10/350 W5	350	350-359	28×2			5,500Nm	2,500N		0893 7115 350	25
Pipe Clamp M8+M10/400 W5	400	398-408	28×2			5,500Nm	2,500N		0893 7115 400	25
Pipe Clamp M8+M10/500 W5	500	499-505	28×2			5,500Nm	2,500N		0893 7115 500	25

Clamp Screws					
	Description	Screw	Material Quality	Article Number	Packaging Quantity
	Screw for Clamp M8×40/W1	M8×40	W1	0893 7101 084	100
	Screw for Clamp M8×60/W1	M8×60	W1	0893 7101 086	100
	Screw for Clamp M8×80/W1	M8×80	W1	0893 7101 088	100
	Screw for Clamp M10×50/W1	M10×50	W1	0893 7101 105	100
	Screw for Clamp M10×70/W1	M10×70	W1	0893 7101 107	100
	Screw for Clamp M8×50/W4	M8×50	W4	0893 7104 085	100

Base with Nut					
	Description	Nut	Material Quality	Article Number	Packaging Quantity
	Rectangular Base with Nut M8+M10/W5	M8+M10	W5	0893 7125 500	1

More benefits

- ✓ Secure clamping mechanism for stable grip

NORMAFIX® Reinforced Pipe Clamp is part of a broad portfolio.
Discover more!



Isophonic Pipe Clamp



U-Bolt Clamp



Do you have questions or require a personal consultation?

Contact your sales representative today to find out more.

Or visit our website for more information about our products: norma-connects.com



NORMA Group Holding GmbH | Edisonstraße 4 | 63477 Maintal | Germany | norma-connects.com

This document supersedes all previous issues. No part of this publication may be reproduced without our prior written consent. In NORMA Group's policy of continual product improvements to meet user needs and technological developments, all models and sets listed in this folder (photographs, specifications, sizes and weights) may be upgraded or discontinued without notice and without any obligation on our part to modify tools or equipment sold previously. The recommendations for use and safety given in this folder do not replace accepted good practice or the safety related legal and regulatory provisions. References to standards implemented as of September 09, 2025 are not contractually binding.